

ASTRO EXPRESS HOT WATER RE-CIRCULATION SYSTEM







A SALES TOOL THAT CAN HELP YOU BUILD A MORE PROFITABLE BUSINESS

The demand for hot water distribution systems is growing fast and it's a huge opportunity to build your business. When it comes to dependable hot water delivery, Armstrong quality and durability ensure quick installation, zero maintenance, satisfied customers and additional profitability.



AN EXCITING BUSINESS OPPORTUNITY

As more municipalities move towards water conservation policies, there's a growing demand for professionals who can supply and install technologies that save water. The Astro Express system does just that; it saves on average 12,000 gallons a year for a typical family!

The system also provides convenience to households that are already using water-saving showerheads and other conservation tools. As beneficial as those tools are to the environment, they cause even longer wait times for hot water, creating a real demand for instant hot water solutions.

YOU & ARMSTRONG: A WINNING BUSINESS COMBINATION

The push for conservation is an incredible opportunity to grow your business. Next time you're in a home to install or repair a water heater, it won't be hard to upsell the homeowners to an Astro Express System. Outline the benefits (see page 4), and it's an easy sell – and a great chance to boost your profitability.

For more information on how you can use Armstrong products to build your business, visit;

WWW.ARMSTRONGPUMPS.COM/ASTROEXPRESS

BENEFITS

Instant hot water at every tap.

Your customers need a dependable system that's inexpensive to install, easy to use, and heats their water to just the right temperature - every time.

A quality product that will not have you running back to your customers for adjustments and repairs.

The Astro Express Hot Water Re-circulation System offers dependability that keeps your customers satisfied, plus thoughtful design and industry-leading quality that minimize maintenance - and maximize your profitability.

The Astro Express is the solution that is **stronger, faster** and simply **better** than anything else on the market today.



STRONGER

The Astro Express is a clear winner for quality, durability and strength. With a rugged, forged-brass valve and a powerful circulator with a greater capacity than anything else on the market.

FASTER

No dedicated lines make for a quick installation. Quality parts and an adjustable flow rate mean zero maintenance. Our one-size-fits-all solution ensures you'll always have the right model in your truck. **Install it in as little as 30 minutes flat.**

BETTER

Offer your customers something more than just a standard re-circulation system.

Give them something better: the Astro Express System is the highest-quality, most dependable system on the market. The pump can handle the widest range of homes, from a small bungalow to a sprawling ranch-style house. The system is powerful enough to ensure that several faucets can be in use at the same time throughout the house, without any impact on temperature or speed of hot water delivery.

Add it up:	30 min
Mount to wall with supplied screw and anchor	2 min
Add extra hoses from valve to faucets	2 min
Connect hoses to valve	2 min
Disconnect flex hoses from faucet	2 min
Valve	
Plug in power cord and set timer	5 min
Open faucet to purge air	5 min
Reconnect hot water pipe to circulator	4 min
Mount Astro Express circulator to nipple	4 min
Disconnect hot water pipe from heater nipple	4 min
Circulator	Time



ZERO TO HOT IN LESS THAN A SECOND

Serious comfort and convenience. Your customers will love having instant hot water at every tap. The Astro Express is especially useful for those who have large homes or use water saving fixtures that restrict flow and slow the delivery of heated water. Plus, top quality construction ensures it's virtually maintenance-free.

Leaves lots of room under the sink. A space-saving design places the pump at the hot water heater, which means only the small valve goes under the sink. It's discreet and doesn't take up space that's needed for storage.

Simple to install. Since it doesn't need a dedicated line, the system is inexpensive and can easily be installed as a retrofit in existing homes. There's no pump under the sink, so there's no GFI outlet and no need to bring in an electrician.

Saves water. In the typical household, over 12,000 gallons of water go down the drain each year as people wait for their water to warm up. Installing the Astro Express conserves water, saves money – and does a little bit to help the environment.





A COST-EFFECTIVE OPTION FOR NEW HOMES

Instead of going to the expense of installing dedicated lines when a new home buyer chooses the option of a hot water delivery system, Astro Express can be offered as an easy retrofit upgrade with no up-front construction costs.

ADD VALUE TO YOUR NEXT BATHROOM

Waiting for hot water will detract from your client's enjoyment of their new bathroom. Adding an Astro Express system can make things that much more luxurious. The cost of installation is likely a small percentage of the overall reno cost - and the payoff is your clients' complete satisfaction with the project.

HOW IT WORKS

The Astro Express System works like a thermostat. The snap-acting valve opens and closes to circulate hot water so it stays at a specific temperature throughout the distribution system. Hot water at each tap stays hot, and cold water stays cold.

The timer can be set for multiple on/off periods per day, reducing operating costs. The Astro Express can be set to circulate water based on the individual homeowners usage patterns, such as; coming on, when they awake, and turning off, when asleep or at work. The simple-to-use mechanical timer also includes manual on/off overrides and eliminates complicated programming instructions.

Each system comes with one valve, which is installed at the faucet furthest away from the water heater. This ensures that hot water is delivered to all the faucets in between. Large homes that feature a distribution line with multiple branches, will need a valve for the faucet at the end of each branch line. Additional valves are available separately.

ASTRO EXPRESS VALVE



The valve is placed at the tap location furthest from the water heater. The forged-brass valve is easy

to install with its integrated positioning legs. The easy-to-use valve adjustment permits accurate flow control to suit user temperature preference.

THE ASTRO 20 BU-T CIRCULATOR

Located on the water heater hot water line, the bronze-cased circulator provides virtually silent,



maintenance-free performance. The pump is controlled by a 24-hour timer which allows homeowners to schedule delivery of hot water in 15-minute increments throughout the day.

THE ASTRO 20 BU-T CIRCULATOR

The Astro 20 BU-T circulator is a small pump with twice the capacity of competitive circulators. It can handle flow to up to 5 valves so it is perfect for the kind of "branch plumbing" that can make hot water distribution in a large or ranch-style home such a challenge.

Most dedicated return systems are oversized and have a short duty cycle when the aquastat is activated. Our injection system uses lower flow to maintain a more stable water temperature at the hot water faucet and prevent noise and erosion. Plus, higher capacity means several people can turn on taps throughout the house and they will all get hot water instantly.




FEATURES

- _ 24-hour clock timer
- _ 15 minute user selectable intervals
- _ On/Off/Auto switch
- _ 120Vac, 1/25 HP, .5A
- _ 5 ft power cord
- _ Max head: 5.8 ft
- _ Max flow: 11.5 GPM
- _ Brass full unions
- _ EPDM O-rings
- _ 1 male and 2 female 3/4" tailpieces
- _ Wet rotor design ensures virtually silent operation
- _ Bronze housing for potable water use
- _ High starting torque overcomes mineral build-up
- _ Built for durability with bronze casing, stainless steel
 - shaft and graphite bearings

THE ASTRO EXPRESS VALVE

The contractor's friend

Ultra-durable and easy-to-install, our valve has a unique design that makes adjusting flow rate and temperature so simple that homeowners could adjust it themselves.



FEATURES

- _ Sturdy construction: forged brass housing
- _ Integrated mounting supports for easy, flush installation
- _ Simple screw adjustment for flow setting preference
- _ Ratings: 125 psi (862 kPa) / 150°F (66°C)
- Bidirectional hot and cold connections in 3/8" and 1/2" ensure easy installation in a wide variety of applications.
- _ Large, self-cleaning screen prevents clogging

HOT WATER DELIVERY SYSTEM APPLICATIONS

The Armstrong Astro Express system delivers hot water to the tap, recirculating cooled water back to the water heater via existing cold water piping. In addition to providing the homeowner instant hot water access, the system also helps to conserve municipal drinking water resources and save metered water charges. It's easy to install, and does not require special return piping to the water heater. This makes the Astro Express system the ideal retrofit solution for existing residential buildings, and a cost-effective solution, when offered as an option in new home construction.

TECHNICAL DATA

ASTRO EXPRESS CIRC	CULATOR				
Power Requirements	120 Vac, 60 Hz, 1/25 hp, 0.5 A max.				
Power Connection	5.0 ft. (1.5 m) power cord, molded duplex plug with ground				
Environment	Indoor use only				
Max. Head	5.8 ft. (1.7 m)				
Max. Flow	11.5 GPM (0.73 L/s)				
Max. Working Pressure	150 psi (1034 kPa)				
Ambient Temperature	-40°F to 180°F (-40°C to 82°C)				
Max. Water Temperature	230°F (110°C)				
Clock Timer	12-hour analog clock with am/pm indication				
Timer Settings	Individual toggles for each 15 minute interval over 24 hours				
Manual Override	3 position slide switch, on/off/auto				
Pump Casing	Cast Bronze with 1-1/4" NPSM union threads				
Impeller	Glass filled Polypropylene				
Shaft	Stainless steel				
Bearings / Seal	Graphite / EPDM				
Union Tailpieces	Brass, 3/4" FPT (two) and 3/4" MPT (one)				
Union Gaskets	EPDM (two)				
Approvals	₀(Ų)us listed				



ASTRO EXPRESS VALVE




Housing Internal Components Connections Environment Flowrate Adjustment Max. Working Pressure Max. Water Temperature Mounting Forged brass with Noryl cap Stainless steel and plastic with EPDM o-rings Threaded, 1/2" hot & cold inlets, 3/8" hot & cold outlets Indoor use only 0 – 100%, multi-turn slotted screw 125 psi (862 kPa) 150°F (68°C) Plastic wall anchor with screw


DIMENSIONS AND WEIGHTS

PRODUCT	А	В	С	D	E	F	G	WEIGHT
Astro Express Circulator (with union tailpieces)	7.5 (191)	4.4 (112)	5.3 (134)	7.6 (195)	3.4 (86)	1.8 (46)		7.3 (3.3)
Astro Express Valve	2.5 (63)	1.5 (38)	2.1 (53)	2.6 (66)	0.8 (20)	3/8" IPS	1/2" IPS	0.40 (0.18)


Note: All dimensions are in inches (mm)

ASTRO EXPRESS CIRCULATOR





ASTRO EXPRESS VALVE



ARMSTRONG SALES MATERIALS

In support of the Astro Express product line, Armstrong has developed a series of promotional collateral to assist your organization in presenting and selling the Astro Express Hot Water Re-circulation Systems. Appreciating that to develop promotional literature can be expensive and time-consuming, these items have been created and are available to you to advertise your business.

HOW TO ORDER?

All of these promotional materials are available to you, with opportunity to custom imprint your company name on most. To order all of them or the pieces which you believe will best promote your business, visit our website at www.armstrongpumps.com/astroexpress/marketing

In addition to English, promotional materials may be available in Spanish and French. Please visit the web site to review availability.

ASTRO EXPRESS DOOR HANGER

Size: 4" x 9"

- Style: Full colour with a large open area on the back where you can have your company information imprinted or labelled.
 - Use: These are meant to be hand distributed in the neighborhoods where you want to build business. Simply slip over the front doorknob. The large shower graphic will compel the recipient to open and read fully.



Form No. 10.308

ASTRO EXPRESS POSTCARD

- Size: Available at either 5" x 7" or 6" x 9"
- Style: Full colour front and a large open area on the reverse where you can have your company information imprinted or labelled.
 - Use: These cards can be direct mailed to a mailing list that you have, or distributed through a Postal Service walk for a community you wish to reach.





Form No. 10.309 7" X 5"

Form No. 10.310 6" X 9"

NEW HOME CONSTRUCTION SELLSHEET

Size: 8.5" x 11"

- Style: Full colour high glossy sheets with imprint area for your company information.
 - Use: This sheet can be inserted into a new home builder's option section to assist homeowners in choosing the system. The sell sheet articulates the value, the benefits and how the system works.



Form No. 10.314

RETROFIT CONSTRUCTION SELLSHEET

Size: 8.5" x 11"

Style: Full colour high glossy sheets.

Use: An aid to introduce the Astro Express for retrofit situations in existing houses, this sell sheet articulates the value, the benefits and how the system works.



Form No. 10.315

ASTRO EXPRESS INTERACTIVE BROCHURE

Size: 5.125" x 9.25"

- Style: This is a self mailing brochure that is sent with all sides sealed, and perforated for opening.
 - Use: These brochures can be sent through the mail or hand delivered. The tear-aways will provoke curiosity to open the document. This ensures the message is read and understood, leading to the prospect contacting you for further information.



Form No. 10.307

EXPERIENCE BUILDING ...

S. A. Armstrong Limited

23 Bertrand Avenue Toronto, Ontario Canada, M1L 2P3 T 416 755 2291 F 416 759 9101

Armstrong Holden Brooke Pullen

Wenlock Way Manchester United Kingdom, M12 5JI T +44 (0) 161 223 2223 F +44 (0) 161 220 9660

Armstrong Pumps Inc.

93 East Avenue North Tonawanda, New York U.S.A. 14120-6594 T 716 693 8813 F 716 693 8970