


OPTI-VISOR™

Ultra-efficient chiller plant automation

MAKE YOUR BUILDING TOO GOOD TO LEAVE



SOLUTION POTENTIAL

FILE NO: 90.21 DATE: MAY 2013 SUPERSEDES: 90.21
DATE: JANUARY 2012

ENERGY EFFICIENCY

IS GOOD FOR BUSINESS

enants searching for commercial office space increasingly view energy efficiency and sustainable operations as important considerations in choosing between locations.

O O WILL PAY A PREMIUM PRICE

63% of tenants are prepared to pay a premium to occupy green space with 14% willing to pay more than 10% extra.

Making your building more energy-efficient can set you apart from the rest of the market. 2007 Canadian
Office Tenant Survey
commissioned by
Colliers International

ENERGY EFFICIENCY COMPARISON Chiller plant efficiency* of buildings with OPTI-VISOR™:

better than

55
kW/ton

Chiller plant efficiency* of buildings o-5 years old:

worse than 5 kW/ton

Chiller plant
efficiency*
of buildings
6-10 years old:

worse than kW/ton

Chiller plant efficiency* of buildings 10-20 years old:

worse than

WITHOUT OPTI-VISOR™

ewer buildings are generally more efficient than those built 10 to 20 years ago. Faced with market pressures to upgrade energy efficiency, owners of buildings have many retrofit options. Comparing a range of options for retrofit projects reveals that an OPTI-VISOR™ installation can be more financially attractive than many of the projects building owners might normally consider.

Even though you may have a restricted budget for your retrofit projects, you can still substantially reduce your operating costs with a smaller investment in an automated system that can improve the energy efficiency of your overall HVAC system.

POTENTIAL ENERGY SAVING

INITIATIVES PAYBACK

The Armstrong OPTI-VISOR™ is an automated HVAC control solution that will boost the energy efficiency of your new building by 25%. It's a simple bolt-on retrofit that works seamlessly with both your existing variable primary flow HVAC plant and your BAS to provide optimal cooling efficiency. By analyzing and controlling your existing HVAC system components for maximum efficiency, OPTI-VISOR™ will:

Save energy

Reduce your carbon footprint

Improve occupant comfort

Reduce equipment damage risk

Lighting retrofit Less than one year

OPTI-VISOR™ installation 6-36 months

Planting trees for shade 5-8 years and wind barrier

Window replacement 10+ years

Window film 10-12 years

Reflective coating 10-15 years

Roof insulation 12-15 years

Investment in alternative sources of energy (wind, solar)

20 years

*Annual average chiller plant efficiency including pumps, chillers and cooling towers. Actual performance may vary dependant on climate and load control.

TENANT




our tenants won't notice the installation of an OPTI-VISOR™ system, but they will notice improved comfort on part load days.

As an example, OPTI-VISOR™ helps to prevent 'on-off' cycling of cooling equipment, which contributes to tenant discomfort.



Installation of an OPTI-VISOR™ can reduce annual energy costs of your chiller plant by 25% or more. Cost reductions of that magnitude will increase the market value of your building.

APPRAISED VALUE AS A FUNCTION OF NET OPERATING INCOME



HIGH-VALUE TECHNOLOGY AND SERVICES

Installations of an OPTI-VISOR™ system are augmented with a service offering that includes:

OPTI-VISOR™ ENERGY SAVINGS

In a 480,000 sq.FT. building with 1,200 design cooling tons, an industry standard HVAC installation might operate at 0.75 kW per ton. With an OPTI-VISOR installation, that same building would operate better than 0.55 kW per ton:

- An energy analysis
- Eligibility for a performance sharing incentive program
- A one-year subscription to Armstrong's ECO*PULSE HVAC Health Management Service
- Quarterly performance assessments conducted by Armstrong's Building Services Team

2800 × 528 × (0.75-0.55) kW/ton


HOURS

AVG. TONNAGE

EFFICIENCY IMPROVEMENT

=295,680 kW HOURS SAVED

EQUIVALENT TO




- CO₂ emissions from 30,056 gallons of gasoline
- CO₂ emissions from burning
 1.5 railway cars of coal
- co₂ emissions from the electricity use of 33.4 homes for one year
- Carbon sequestered annually by 57.2 acres of pine or fir forests

^{*} Based on EPA data models (www.epa.gov).

PAY BACK

OPTI-VISOR™ payback opportunity



Retrofit projects that improve HVAC efficiencies pay back the costs of the project over time through energy savings. Depending on the existing efficiency levels and cooling profile of a building, installation of an OPTI-VISOR™ can save enough energy to generate a payback on the project cost in less than one year.



THE PERFECT

RETROFIT SOLUTION

he Armstrong
OPTI-VISOR™
is a simple add-on
to any existing
building automation
system (BAS).

The OPTI-VISOR™ is a retrofit solution for many different building types, even buildings less than five years old.



The best opportunity for efficiency improvements is a building with:

Variable-speed HVAC systems employing variable primary flow

An existing BAS

No stress, no maintenance

The Armstrong OPTI-VISOR $^{\rm M}$ is a plug-and-play control technology that is simple to install and commission, and requires no maintenance. Even during the installation, there is minimal interference with your HVAC operation, so you don't need to worry about interruptions in cooling.

Take a low-risk approach

Installing an OPTI-VISOR™ will reduce your risk of system failure. Many existing HVAC systems do not have adequate controls in place to prevent equipment damage. OPTI-VISOR™ units are site-configured on installation to operate the plant within the manufacturer recommended limits of your equipment. Installations are performed in collaboration with your controls contractor and operating staff. Armstrong personnel are available to support the processes every step of the way, including the first year of operation.

Increased tenant comfort

Faster response

Better stability

Increased system efficiency

TORONTO

23 BERTRAND AVENUE TORONTO, ONTARIO CANADA M1L 2P3 +1 416 755 2291

BUFFALO

93 EAST AVENUE NORTH TONAWANDA, NEW YORK U.S.A. 14120-6594 +1 716 693 8813

BIRMINGHAM

HEYWOOD WHARF, MUCKLOW HILL HALESOWEN, WEST MIDLANDS UNITED KINGDOM B62 8DJ +44 (0) 8444 145 145

MANCHESTER

WENLOCK WAY
MANCHESTER
UNITED KINGDOM
M12 5JL
+44 (0) 8444 145 145

BANGALORE

#59, FIRST FLOOR, 3RD MAIN MARGOSA ROAD, MALLESWARAM BANGALORE, INDIA 560 003 +91 (0) 80 4906 3555

SHANGHAI

NO. 1619 HU HANG ROAD, XI DU TOWNSHIP FENG XIAN DISTRICT, SHANGHAI P.R.C. 201401 +86 21 3756 6696

ARMSTRONG FLUID TECHNOLOGY

ESTABLISHED 1934

ARMSTRONGFLUIDTECHNOLOGY.COM

Contact us at:

+1 416 755 2291

ArmstrongFluidTechnology.com/IPC_Retrofit

View your savings and ROI using real data from your installation. Ask your Armstrong representative.

