

# BRAZED PLATE HEAT EXCHANGER | MODEL ABX095 | SUBMITTAL

File no: 113.56  
Date: MARCH 16, 2020  
Supersedes: 113.56  
Date: MARCH 26, 2018

Job: \_\_\_\_\_ Representative: \_\_\_\_\_

Order No: \_\_\_\_\_ Date: \_\_\_\_\_

Engineer: \_\_\_\_\_ Submitted by: \_\_\_\_\_ Date: \_\_\_\_\_

Contractor: \_\_\_\_\_ Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

QUANTITY	TAG NO.	MODEL NO.	COMMENTS

## ABX - BRAZED PLATE HEAT EXCHANGERS

Armstrong's ABX brazed plate heat exchangers are designed to facilitate heat transfer between two media of different temperatures. ABX produces high heat transfer rates that allow for a compact, corrosion resistant and robust design.

## DESCRIPTION

Number of plates (N):	
Design Pressure	435 psi (30 bar)
Max Temperature	392°F/200°C
Plate Material	316 SS
Braze Material	Copper
Connection Material	304 SS

## TYPICAL SPECIFICATION

Furnish and install on the plans and described herein, an Armstrong ABX095-\_\_\_\_\_ brazed plate heat exchanger. Each heat exchanger must be designed to have the capacity and pressure/temperature rating as detailed in the schedule. The heat exchanger must utilize 316L stainless steel plates and copper braze to separate the two fluids while transferring heat and preventing corrosion.

Each heat exchanger shall be Armstrong ABX095-\_\_\_\_\_ or approved equal.

## CONNECTIONS

	Size - inch	Location	Rating
Fluid 1 Inlet	1.00	A2	NPT
Fluid 1 Outlet	1.00	A1	NPT
Fluid 2 Inlet	1.00	B1	NPT
Fluid 2 Outlet	1.00	B2	NPT


SUBMITTAL  
ABX095

Brazed Plate  
Heat Exchanger

2

**DIMENSIONS**

DIMENSIONS in inch (mm)						VOLUME	WEIGHT
A	B	C	D	E	L	gals(ltrs)	lbs(kgs)
20.43 (517)	18.34 (466)	4.17 (106)	1.96 (50)	1.06 (27)	0.49 + 0.09N (12.5 + 2.4N)	(0.03 × N) gals (0.095 × N) liters	7.0 + (0.5 × N) lbs 3.1 + (0.22 × N) kgs



**TORONTO**

+1 416 755 2291

**BUFFALO**

+1 716 693 8813

**BIRMINGHAM**

+44 (0) 8444 145 145

**MANCHESTER**

+44 (0) 8444 145 145

**BANGALORE**

+91 (0) 80 4906 3555

**SHANGHAI**

+86 (0) 21 5237 0909

**SÃO PAULO**

+55 11 4785 1330

**LYON**

+33 (0) 420 102 625

**DUBAI**

+971 4 887 6775

**MANNHEIM**

+49 (0) 621 3999 9858

ARMSTRONG FLUID TECHNOLOGY  
ESTABLISHED 1934

ARMSTRONGFLUIDTECHNOLOGY.COM